



Измивайте по посока на стрелката, от средата към страните, отгоре надолу

Отстраняване на неизправности

Уредът не стартира при натискане на спусъка

- Проверете дали батерията е заредена и изправка като свържете зарядното след това:
- Свети индикатор → батерията е изправна
- Не свети → батерията е повредена

Има свързана вода, но не излиза

- Проверете дали маркучът не е прегънат
- Натиснете и задръжте спусъка над 10 секунди, за да се засмуче водата

Гаранция

Моля, съхранявайте гаранционната карта.

При фабричен дефект, възникнал в рамките на 1 година от датата на покупка, при нормални условия на употреба, транспорт и съхранение, се обърнете към местния дистрибутор с касов бон или фактура

Информация на потребителя

Дата	Име на клиент	Телефон	
Модел продукт		Код продукт	
Дата покупка	Проблем и метод за справяне	Дата взимане	Подпис

ПРЕНОСИМА АКУМУЛАТОРНА ВОДОСТРУЙКА

РЪКОВОДСТВО

(Превод на оригинална инструкция)



Структура на продукта



Общо описание на продукта

Тази електрическа водоструйка е преносимо устройство за самостоятелно измиване на автомобил, разработено за удобство и мобилност. Високото налягане е основата на ефективното измиване, а този модел съчетава компактни размери, висока мощност и акумулаторно захранване.

Благодарение на вградената литиева батерия и резервоара за пена, уредът не изисква външно електрическо захранване и може да се използва навсякъде – у дома, на път или сред природата. Лесно се пренася в автомобила и спестява време.

⚠ Забележка: Комплектацията може да се различава в зависимост от модела. Валидна е реално доставената конфигурация.

Основни характеристики

- Ергономичен пистолетен дизайн – удобен захват и стабилна работа
- Акумулаторно захранване с литиева батерия – осигурява високо налягане
- Здрава резбова връзка на маркуча – сигурно и стабилно свързване
- Интелигентна защита при зареждане:
 - Червена светлина – зареждане
 - Зелена светлина – батерията е напълно заредена
- Функция за нанасяне на пена:
 - Добавете автошампоан в контейнера за пена
 - Добавете вода
 - Монтирайте контейнера – позволява равномерно измиване на целия автомобил
- Загриване на мотора по време на работа е нормално
- При прегряване изключете уреда за 3–5 минути
- Съществуват модели с различно напрежение: **12V / 18V / 21V / 24V**
- Батериите и зарядните са различни и **трябва да се използват само в комплект**

Installation instructions



1. Свържете маркуча за вода с адаптера



2. Свържете маркуча с филтъра



3. Свържете адаптера и маркуча с водоструйката



4. Поставете накрайника с дюзата



5. Поставете регулиращия се разпръскващ накрайник



6. Поставете батерията



7. Напълнете резервоара с препарат




8. Порт за зареждане

Общо описание на продукта

Преди всяко използване проверявайте уреда и аксесоарите за повреди. Ако забележите проблем – прекратете използването и се обърнете към сервиз.

Почистване на входния филтър

1. Хванете входния маркуч
2. Завъртете и извадете филтъра надолу
3. Изплакнете филтъра с чиста вода
4. Поставете го обратно и завийте стабилно



Смазване на водната помпа (при липса на вода)

Ако след повече от 1 минута работа **не излиза вода**, е необходимо смазване на помпата:

Стъпки:

1. Извадете бързата връзка от входа за вода




2. Обърнете уреда с главата надолу под ъгъл ~45°



3. Поставете батерията и натиснете бутона за включване



4. Добавете малко количество чиста вода през входа
5. Оставете уреда обърнат за около 30 секунди
6. Натиснете бутона – ако водата започне да излиза, смазването е успешно
7. Свържете маркуча, филтъра и дюзата, след което уредът е готов за нормална работа



Почистване и съхранение

- След употреба измийте контейнера за пена от остатъци от препарат
- Почиствайте корпуса с мека кърпа или четка
- **Не обливайте и не потапяйте уреда във вода**
- Не използвайте агресивни или абразивни препарати
- Съхранявайте уреда на сухо и безопасно място
- Пазете далеч от деца
- Не поставяйте предмети върху водоструйката
- При съхранение през зимата вземете мерки срещу замръзване

💡 Съвет:

След всяка употреба източвайте водата от корпуса и маркуча, за да предотвратите повреди от остатъчна вода.



Wash in the direction of the arrow, from the middle to the sides, from **top to bottom**

Troubleshooting

1. After pressing the trigger of the water gun, it does not start to check whether the lithium battery is out of power, and recharge it with the charger.
2. Check whether the lithium battery has electricity. Plug the charger into the charging port of the gun body. If the indicator light is on, it means normal, and if it is not on, it means the lithium battery is damaged.
3. The water pipe is connected well, and the water cannot be discharged by pressing the trigger. Check whether the water pipe is bent and the water is not flowing smoothly. Keep pressing the trigger for more than ten seconds to let the water inhale the gun body.

Pay attention to how to use

When you start to use it, you need to press the trigger for more than ten seconds, and then the water can be sucked into the gun body before the water can be discharged under high pressure.

Warranty Description

Please keep the warranty card properly. When the product is confirmed to be unable to be used normally due to its own quality problems within one year from the date of purchase (subject to the conditions of storage, transportation and use), the user shall contact our local distributor with the invoice to be responsible for "three Bag

User information

Date	Customer name	Contact information	
Product model		Product number	
Delivery date	Trouble and handling method	Pickup Date	Customer signature

CAR WASHING ARTIFACT

Electric car washing machine instruction manual



Portable home car wash with lithium battery

Product structure



Product overview

This electric car washing machine is a portable self-service car washing machine developed by our company. High-pressure car washing is the foundation of car washing, this product adopts integrated design, large pressure small volume, flexible use, lithium battery, foam pot, not limited by the concept of power supply, improve the self-service car washing experience, the product can be carried with the car, available anytime and anywhere, for you to save precious time.

Electric car washing machine configuration is different, please prevail in kind.

Product features

- 1, dignified 54 type pistol shape, not only to ensure beautiful and composite handgrip comfort.
- 2, rechargeable design, internal use of lithium battery pack, high power supply for high pressure water gun guarantee.
- 3, water pipe connection, threaded connection gun body, firm and not lax.
- 4, intelligent charging protection, charger charging red light display, full automatically stop charging and green light display.
- 5, foam function. Pour the car wash liquid into the foam pot. Need to add water to the hook. Install a spray can be the whole car, to achieve the whole car cleaning effect.
- 6, the motor heating is a normal phenomenon, if overheating stop 3-5 minutes, and then start the use.
- 7, the full set of picture configuration as standard, need to be different from the picture configuration can be replaced.
- 8, products are divided into different voltage, 12V, 18V, 21 V, 24V: Different voltage corresponding lithium batteries and chargers are different, must be used together.

Installation instructions



1. Connect the water to the adapter 2. Connect the water pipe to the filter screen 3. Connect the water pipe to the gun body 4. Install the extended gun rod




5. Install multi-functional sprayer head 6. Install lithium battery 7. Foam pot removal and installation 8. Use of the charger

MAINTAINCE

Before each use, please check the machine and components for damage. If damage is found to the machine or components, Please stop using immediately and contact after-sales service.

Maintenance of inlet filter screen:

1. Remove the filter screen from the inlet pipe: Hold the inlet pipe with your hand, rotate it, and the pull out the filter screen downwards.
2. Clean the filter. Rinse the filter with a faucet, and after cleaning, rotate the filter back into the water pipe.



Water pump lubrication:

When there is no water output after more than 1 minute of use, it is recommended to lubricate the built-in water pump first, Helps to extend service life and improve user experience.

The operation steps are as follows:


1. Remove the quick connector of the car wash machine water inlet.




2. Invert the body and tilt it about 45°. Insert the battery and press the start button. At the same time, add a small amount of clean tap water from the water inlet of the car wash machine.



3. After filling the water inlet of the body with water, keep the body upside down and let it stand for about 30 seconds to lubricate the internal pump body pipeline. Press the start button, and if there is water flowing out of the outlet, it indicates successful lubrication.



4. After successful lubrication, hold the water gun in the forward direction, connect the water pipe to the car wash machine with a quick connector, and ensure that the filter screen is connected. Install the 6-in-1 nozzle and insert the battery to use it normally.



Cleaning and storage

- After use, there will be soap residue in the foam pot. Please wash it with clean water and dry it in time.
- Please use a soft and clean cloth or brush to clean the body.
- Do not rinse or soak the body with water.
- Do not use corrosive or abrasive cleaning or polishing agents.
- Please keep the car wash machine in a safe and dry place to avoid contact with children.
- Do not place other items on the car wash.
- When storing car wash machines and their accessories, please pay attention to frost prevention.

Tips; After using the car wash machine, please drain the water from the body and inlet pipe to avoid residual water from affecting the car wash machine caused damage.